


   Tipi Applicazioni Truk make Model		Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
ASTRA				
BE 8440 F		eng. Fiat 8210	AA1114 GF	1882 335 232
BE 8440 F <i>Versione a Diaframma with D/Spring</i>		eng. Fiat 8210	AA1113 MF	3482 125 131
CONCRETE MIXER 304 F-FP-M-MP			AA1112 GF	1882 342 136
CONCRETE MIXER 304 F.FP-M-MP Tipo a Diaframma - With D/Spring			AA1120 MF	3482 124 516
BM				
BM 304 -305-309 F/FP/M/MP		eng. Fiat 8280 OM 423	AA1112	1882 342 133
BM 304-308 F/M/C/P/F		eng. OM 422	AA1112	1882 342 133
BM 304 BM 308 Eng. Mot. FIAT 821002			AA1114 GF	1882 326 332
BM 304 BM 308 <i>Versione a Diaframma With D/Spring</i>			AA1113 MF	3482 125 131
BM 64.42 BM 66.42		8210.42K	AA1127	3483 083 032
HD 7 SERIES				
42-38 64-38 66-38 84-38		8210.42K	GMZ 430 A Tiro Pull Type AA1127	3483 083 032
42-42 64-42 66-42 84-42		8210.42L	GMZ 430 A Tiro Pull Type AA1127	3483 083 032
64-45 66-45 84-45 86-45		8280.42B	GMZ 430 A Tiro Pull Type AA1127	3483 083 032
64-52 66-52 84-52 86-52		8280.42S	GMZ 430 A Tiro Pull Type AA1127	3486 083 032
FIAT OM IVECO				
DAILY GRINTA 28.8 DIESEL 80 Cv.		8140	ø 241 Pusch Type	8589468
DAILY GRINTA 38.8 DIESEL 80 Cv.				93806525
DAILY GRINTA 32.8 DIESEL 80 Cv.				770028180
DAILY GRINTA 35.8 DIESEL 80 Cv.		8140-61		1903913-77028180
DAILY GRINTA 32.8 DIESEL 80 Cv.		8140-21	AE1256	93801199-1903830
28.9 DAILY Benzina/Petrol/Essence			ø 230 Pusch Type	
30.9 DAILY Benzina/Petrol/Essence				
32.9 DAILY Benzina/Petrol/Essence				
35.9 DAILY Benzina/Petrol/Essence				
28.9 DAILY Benzina/Petrol/Essence			AE1184	8578373
DAILY				
30.10 DAILY 100 CV.			ø 267 Pusch Type	
40.10 DAILY 100 CV.				
45.10 DAILY 100 CV.				
49.10 DAILY 100 CV.				
35.10 TURBO DIESEL		814021		
45.10 TURBO DIESEL		814021	AE1268	93809013

 Tipi Applicazioni Truk make Model		Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
FIAT OM IVECO				
DAILY				
35.10	Turbo Diesel	814021	ø 267 Pusch Type	93809013
45.10	Turbo Diesel	814021		
45.10 4 x 4	Turbo Diesel	814021		
49.10	TURBO DIESEL	814021		
49.10 4x4	TURBO DIESEL	814027		
NEW DAILY				
30.8 DAILY	Aspirati e Turbo	8140	ø 235 Pull Type	1904779
30.10 DAILY	Aspirati e Turbo	8140		1904797
35.8 DAILY	Aspirati e Turbo	8140-07		1908520
35.10 DAILY	Aspirati e Turbo	8140-07		1908552
40.8 DAILY	Aspirati e Turbo	8140		1908555
45.10 DAILY	Aspirati e Turbo	8140		1908561
49.10 DAILY	Aspirati e Turbo	8140		93812489
DAILY 32.12		8140-47	ø 267 Pull Type	1904760-1904798
DAILY 35.12		8140-47		1908522-2991656
DAILY 49.12		8140-47		1908523-1908543
DAILY 59.12		8140-07		1908544-1908553
DAILY 4x4 Militare				93812451-2998012
FIAT OM				
CERBIATTO 65-68		CO1K	3 Leve S/P	8542732
LUPETTO E 24/24C			ø 250	8542737
LUPETTO 25/30/35			AA1100	
35 NC - 40 NC - 50 NC			3 Leve C/P	8566184
50 NC - 55 NC - 55.8 - 60.8			ø 250	
40 - 40/35 - 50.8 - 55.8 - 60.8 - 78.			AA1101	
50 NC		eng. DEUZ 		

 Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
FIAT IVECO			
80 - 80 NC - 90 - 90 NC - 90 PC 80/90 NC11 - NC 13 - 100 NC/11 - 110.14 100 N - NC 110 NC - PC - RN - NT - 79.13 - 80.13 - 90.13 100.13 90.12 - 100.13/1		4 Leve C/P ø 305 AA1105R	8568520
75 PC - 80 NC - 90 NC - 90 PC - 100 EC - 100 NC 110 NC - PC - RN - NT 100.13 - 120.13 645 N1 - N2 - N3 - 650 N1 - N2 - N3 - 655 N1 - 662 N1 - N2 - N3T - 672 N BUS 314 - 414 - 416 - 314/2 - 314/3 - 414 - 416A 315.13 - 316 8.13 -		4 Leve C/P ø 305 AA1105R	8566181
75.13 - 75 PM 13 - 75.13 WM 75.13AW - 80.13 - 80.13A 80.13AT - 80.13AH - 80.13A - 80.13P - 80.13P - 80.14 - 80.16 - 80.16A - 80.16AW - 65.14 - 65.14D -		4 Leve C/P ø 305 AA1105R	60114501
90.13 - A 90.13 - 100.13 A 70.14 - 79.14 - 94.14 100.14 - 109.14 79.14 - 95.14 - 109.14	Cambio FIAT Mot. 8060.05	MF 310 AA1133	1903920 4787652 3482 906 001
110.14P - 115.14 sino a Ch. 106543 65.12 - 75.13 - 79.12 135.14 sino a Ch. 106124	Mot. 8040 Cambio Z.F.	MF 310 AA1133	1903920 4787652 3482 906 001
115.14 Ch.106544 135.14 Ch. 106125 95.14 ZETA 109.14 ZETA	Mot. 8060 Mot. 8060 Mot. 8060 Mot. 8060	MF 310 AA1133	4811598 4815846 8546061 3482 906 001
619 N1 - 690 NG 693 N-NP-T-P 683 - 691 697 N - UT-NT-PT 260 PC - 260 PT - 300 PC - 300 PT 180 NC - 190 PC - 190 PT		4 Leve C/P ø 356 AA1107	4588583 4646115 4668518 4668520
		AA1108K KIT Completo	1904744 4641614 4668517
		AA1110 AA1109	9917870 9925815

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code   CO.ME	Ad.:Codice O.E  Suitable: SACHS
FIAT IVECO			
619 N1 - 690 NG 693 N-NP-T-P 683 - 691 697 N - UT-NT-PT 260 PC - 260 PT - 300 PC - 300 PT 180 NC - 190 PC - 190 PT		Modifica monodisco GF 420 6 Leve AA1104	1882 326 331
682 N - N2 - N3 - N4 682 T -T2 - T3 - T4 682 RN - RNU 690 N - N1 - N2 - 690 T1 - T2		3 Leve ø 440 AA1104	4505855 93003315
170.26 170 NC 180.26 190.26 - 190 NC - PC - PT - U 190 PAC - PAT - PC - PT - U 190 PAC26 -190 PAT 26 230.26 - 260.26 260 PAC - PAT - PC - PT 260 PC - PAC 26 - 260 PT 26 260.25 AHT-ANW-AN-ANT 300 PC-PT 330 PC 26 - 330 PT 26 - 330 PAC 26 - 330.26N 330.N 370.10 - 11 - 12 370.25 370.26 6 Cil.a/v 370.26	8210	GF 420 6 Leve Piedino basso Mazzetta bassa AA1111	1903813 1903844 1903924 1904769 1904769 1904777 1904777 4459728 4699160 4699160 42014319 61146812 1882 326 331
160.30 160.30 AH.AHW 160.30 AH Dump Truck 160.30 AHW 170.34 AH - 170.34AH -170.34 AHW 180.34AH-180.34AHW 260.30 AH 24T 260.30 AHT 24T 260.30 AHT 26T 260.30 AH 24T Dump Truk 260.30 AH 26T 260.30 AHW 24T 260.34 AH 25T 260.34 AHT 24T 260.34 AHT 25T 26 T 260.34 AHT 24T Dump Truck 260.34 AHT 25T Dump Truck 260.34 AHW 22T 260.34 AHW 26T 300.30 AH - AHB 300.32 300.34 320.32 AHB 340.34	BF8L 513 ZF BF8L513 KHD-BF8L513 BF8L513 G.Box ZF BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513 BF8L513	GF 420 X 6 Leve Piedino Alta Mazzetta Alta AA1112 	1882 342 136 1882 342 133 1882 303 105 1903899 42062101 42532408
160.30 160.30 AH.AHW 170.34 AH - 170.34AH -170.34 AHW 180.34AH-180.34AHW 260.30 AH 24T 260.34 AHT 25T 26 T 300.30 AH - AHB 300.32 300.34 320.32 - 340.34	MF 420 <i>Cover Assy modified with Diapghram Spring</i> MF 420 <i>Tipo Modificato con Molla Diaframma</i>	 Intercambiabile Interchangeable AA1120	3482 124 516

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
---	---	---	--

FIAT IVECO

part info : SACHS 3482 125 131

CO.ME Ref. AA 1114

part info

- brand: SACHS

- Clutch Pressure Plate**

1882 335 232
1882 335 236
1882 335 234

- article status: **Normal** [18/05/1998]
- packing unit: 1

criteria

- Parameter: MF420
- Diameter [mm]: 420

ZF compare numbers

ZF SACHS

- 16 1882 335 202
- 16 1882 335 206
- 16 1882 335 208

ZF Trading compare numbers

manufacturer compare numbers

ASTRA

- 122745
- 155873

IRISBUS

- 122745

IVECO

- 0445 9822
- 0469 2717
- 0474 9155
- 4253 2411
- 4211 4018
- 0843 8491
- 0474 5051
- 4210 1943
- 0713 7929
- 0477 9155
- 0483 8491
- 4202 6780

MAGIRUS-DEUTZ

- 0445 9822
- 0469 2717
- 0474 9155
- 4253 2411
- 4211 4018
- 0843 8491
- 0474 5051
- 4210 1943
- 0713 7929
- 0477 9155
- 0483 8491
- 4202 6780

AA 1114



built-in

vehicle country limitation:

IVECO :

- P/PA**

- 190-30 H (224 kW ; 04/1987 - 12/1990)
- 190-30 H (224 kW ; 01/1991 - 12/1992)
- 190-30 HT (224 kW ; 01/1989 - 12/1990)
- 190-30 HT (224 kW ; 01/1990 - 12/1992)
- 190-30 H (224 kW ; 04/1987 - 12/1990)
- 190-30 H (224 kW ; 01/1991 - 12/1992)
- 190-30 HW (224 kW ; 04/1987 - 12/1990)
- 190-30 HW (224 kW ; 01/1991 - 12/1992)
- 330-30 HT (224 kW ; 01/1988 - 12/1990)
- 330-30 HT (224 kW ; 01/1991 - 12/1992)
- 330-30 HT (224 kW ; 01/1988 - 12/1990)
- 330-30 HT (224 kW ; 01/1988 - 12/1992)
- 330-30 H (224 kW ; 01/1988 - 12/1990)
- 330-30 H (224 kW ; 01/1991 - 12/1992)
- 330-30 H (224 kW ; 06/1984 - 12/1990)
- 330-30 H (224 kW ; 06/1984 - 12/1992)
- 330-30 HW (224 kW ; 01/1988 - 12/1990)
- 330-30 HW (224 kW ; 01/1991 - 12/1992)
- 330-30 HW (224 kW ; 01/1988 - 12/1990)
- 330-30 HW (224 kW ; 01/1988 - 12/1992)
- 340-34 AH (250 kW ; 03/1989 - 12/1992)

- P/PA-Haubenfahrzeuge**

- 190-30 N (224 kW ; 04/1987 - 12/1990)
- 190-30 N (224 kW ; 01/1991 - 12/1992)
- 190-30 NT (224 kW ; 04/1987 - 12/1990)
- 190-30 NT (224 kW ; 01/1991 - 12/1992)
- 330-30 N (224 kW ; 10/1987 - 12/1990)
- 330-30 N (224 kW ; 01/1991 - 12/1992)
- 330-30 N (224 kW ; 10/1987 - 12/1990)
- 330-30 N (224 kW ; 10/1987 - 12/1992)
- 330-30 NW (224 kW ; 10/1987 - 12/1990)
- 330-30 NW (224 kW ; 01/1991 - 12/1992)
- 330-30 NW (224 kW ; 10/1987 - 12/1990)
- 330-30 NW (224 kW ; 10/1987 - 12/1992)

- TurboTech**

- 190-26 (191 kW ; 01/1990 - 12/1992)
- 190-26 T (191 kW ; 01/1990 - 12/1992)
- 190-32 (234 kW ; 01/1990 - 12/1992)
- 190-32 T (234 kW ; 01/1990 - 12/1992)

- 160...**

160-26 , T

- 170...**

- 170 NC 33, 35
- 170 NT 33
- 170-26 (01/1979)
- 170-30 (01/1979)
- 170-32
- 170-33
- 170-35
- 170-35 , T

- 180...**

180-26

- 190...**

- 190 NC 26
- 190 NC 30
- 190 PC
- 190 PC 30
- 190 U 26
- 190 U T (- 09/1980)
- 190-26 , T (- 12/1984)

- 190-30 P, T, PT (01/1985)
- 190-30 P, T, PT (- 12/1984)
- 190-33
- 190-35
- 190-35 H/HT
- 190-35 , T (- 12/1984)
- 190-35 , T

- 200...**

200-32

- 220...**

- 220-30 PT (01/1985)
- 220-35 T

- 230...**

230-32

- 240...**

- 240-26
- 240-30 (01/1985)
- 240-30 P (- 12/1984)

- 260...**

- 260 PC HW 6x6
- 260 PT 35 6x4, 6x6
- 260-30 H
- 260-35 H, HT 6x4
- 260-35 HW 6x6

- 320...**

320-30 N (01/1988)

- 330...**

- 330 PC 26
- 330-35 H, HT, HN, HW
- Prod.-Nr. 42240

- 370...**

- 370-10 /20
- 370-10 /24
- 370-10 /25
- 370-11 /25
- 370-12 /24
- 370-12 /25
- 370-12 /25 L
- 370-12 /26
- 370-12 /30
- 370-12 /35

MAGIRUS-DEUTZ :

- 350...**

350 F 33 . PC, PT

 Tipi Applicazioni Truk make Model		Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS									
FIAT IVECO													
190.30 H 16 T.	87-90	8210	GF 420 6 Leve										
190.30 H 18 T	91-92	G.Box Fuller											
190.30 H 17 T Dump truk	87-90	G.Box Fuller											
190.30 H 18 T Dump truk	91-92	G.Box Fuller											
190.30 HW 17T	87-90	8210-22.210/523/525/535											
190.30 HW 18T	91-92	8210-22.236/511/521/537											
330-30 HT (24T-25T-26T-33T	88-90	8210											
330-30 H (24T-25T-26T-33T)	84-92	8210											
330-30 HW (24T-25T-26T-33T)	88-92	8210-22X.235/523											
340-34 AH	89-92	KHD-BF8L513											
190-30 NT (17T-18T)	87-93												
190-30 N (17T-18T)	87-93												
190-26	90-92	8460											
190-26 T	90-92												
170NC 33,35, 170 NT 33 -170.32 -170.33-170.35													
170.30	79 >	G.Box Fuller											
170.35 T													
190 PC - 190.35 H/HT		8280											
190 PC 30		8210											
190 U T >09-90 190.30 P-T-PT	>12.84	8210											
190.35 T		8280											
190.30 P-T-PT	85 >	G.Box Ecosplit 16 S130											
190.30 P-T-PT	85 >	8210 G.Box Fuller											
190.35 T		8280 G.Box Fuller											
190.35 T		8210 G.Box Fuller											
220.30 PT	85 >	8210 G.Box Fuller											
220.35 T		G.Box Fuller											
240.30		8210 G.Box Fuller											
240.30P		8210 G.Box Fuller											
260 PC HW 6x6		8280 G.Box Fuller											
260 PT 35 6x4 6x6		8280 G.Box Fuller											
260.35 H-HT 6x4		8280 G.Box Fuller											
260.35 HW 6x6		8280 G.Box Fuller											
260.30 H		8210 G.Box Fuller											
320.30 N		8210 G.Box Fuller											
330 PC 26 (Verisione 42240590)													
330.35 H-HT-HN-HW (Prod.42240)		8280											
190.30 H 16 T.	87-90	8210	MF 420	4622717									
190.30 H 18 T	91-92	G.Box Fuller			Cover with Diapghram Spring	4745051							
190.30 H 17 T Dump truk	87-90	G.Box Fuller					19003891						
190.30 H 18 T Dump truk	91-92	G.Box Fuller						42026780					
190.30 HW 17T	87-90	8210-22.210/523/525/535							42101943				
190.30 HW 18T	91-92	8210-22.236/511/521/537								42532411			
330-30 HT (24T-25T-26T-33T)	88-90	8210									07137929		
330-30 H (24T-25T-26T-33T)	84-92	8210										1882 335 232	
330-30 HW (24T-25T-26T-33T)	88-92	8210-22X.235/523											1882 335 236
340-34 AH	89-92	KHD-BF8L513											
190-30 NT (17T-18T)	87-93												
190-30 N (17T-18T)	87-93												
190-26	90-92	8460											
190-26 T	90-92												
170NC 33,35, 170 NT 33 -170.32 -170.33-170.35													
170.30	79 >	G.Box Fuller											
170.35 T													
			MF 420										
			AA1113										

 Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
---	---	---	--

FIAT IVECO

part info : SACHS 1882 326 331

CO.ME Ref. AA 1111

part info

- brand: SACHS
- **1882 326 331**
- **Clutch Pressure Plate**
- EAN:
 - 4013872072606
 - 4013872355075

- packing unit: 1

criteria

- Diameter [mm]: 420
- Parameter: GF420

ZF compare numbers

ZF SACHS

- 16 1882 326 301
- 16 1800 120 001

ZF Trading compare numbers

SACHS

- 86 1882 326 331
- 16 1882 326 331
- C3326

manufacturer compare numbers

IVECO

- 0469 9160
- 0190 4777
- 0190 4769
- 0190 3813
- 0190 3844
- 0190 3924
- 0445 9728
- 4201 4319
- 6114 6812

VAN HOOL

- 632 100 080

built-in


vehicle country limitation:

IVECO :


- **M 2000**
 - M 2000** (01/1977)
- **170...**
 - 170 NC 26**
 - 170-26** (- 12/1978)
- **180...**
 - 190 NC /H 26**
 - 180-26**
- **190...**
 - 190 NT /H 26**
 - 190 PAC**
 - 190 PAC 26**
 - 190 PAT**
 - 190 PAT 26**
 - 190 PC 26 4x2, 4x4**
 - 190 PT 26 4x2**
 - 190 U 26/T/TH** (10/1978)
 - 190-26**
 - 190-26 H, HT, HW**
 - 190-26 N, NT, NW**
- **230...**
 - 230-26**
- **260...**
 - 260 PAC**
 - 260 PAC 26 6x4, 6x6**
 - 260 PAT**
 - 260 PC 6x4, 6x6**
 - 260 PT 26 6x4**
 - 260-26 H, HT, HW**
 - 260-26 N, NW**
- **300...**
 - 300 PC**
 - 300 PT**
- **330...**
 - 330 PAC 26**
 - 330 PC 26 6x4**
 - 330 PT 26 6x4**
 - 330-26 H, HT**
 - 330-26 N**
 - 330-30 N** (- 12/1987)
- **370...**
 - 370-10 /20**
 - 370-10 /25**
 - 370-11 /25**
 - 370-12 /25**
 - 370-12 /26**
 - 370-12 /26 (Unic)**
- **613 - 619**
 - 619 NIP 016045-**

\ VAN HOOL :

- **8..**
 - 815, A** (191 kW)
 - 815, A** (257 kW)
 - 815 C** (191 kW)
 - TD 824** (257 kW)

AA 1111

[illegible]

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code   CO.ME	Ad.:Codice O.E  Suitable: SACHS
FIAT IVECO			
EUROSTAR			
LD 190 E 38 P 276 KW 01.1993-2.2002 LD 240 E 38 276 KW 01-1993-02.2002 LD 260 E 38 P 276 KW 01-1993 -02.2002 LD 400 E 38 TXP 276 KW 01.1993 - 02.2002 LD 440 E 38 TXP 276 KW 01.1993 - 02.2002 LD 440 E 38 T 276 KW 01.1993 - 02.2002 LD 440 E 38 TZ 276 KW 01.1993 - 02.2002		3400 084 001 3400 118 001 3400 084 031 3482 078 134 1878 032 032 3151 000 144	
EURO TECH MP			
180 E 34 254 KW 01.1992 - 12.1993 180 E 38 276 KW 01.1992 - 12.1993 190 E 34 254 KW 01.1993 190 E 38 276 KW 01.1993 240 E 30PS 221 KW 01.1997 240 E 34 254 KW 09.1995-12.1996 240 E 38 276 KW 01.1992 260 E 38 P 276 KW 01.1994 400 E 34 T - 440 E 34 T 254 KW 01.1992 400 E 38 T - 440 E 38 T 276 KW 01.1992 400 E 38 TXP 276 KW 11.1993 - 12.1996 440 E 38 TZ 276 KW 01.1994	 MFZ 400	AA1126	500392840 500392841 500392843 500335062 500335063 500335064 01908549 500335067
EURO TECH MT			
180 E 34 R 254 KW 01.1992 - 09.1998 400 E 34 T 254 KW 01.1992-09.1998			01904796 01908515
EURO TECH MH			
190 E 31 228 KW 09.1998 190 E 35 259 KW 09.1998 260 E 31 Y/P 259 KW 11.1999 400 E 31 TP-440E 31 TP 228 KW 09.1998 400 E 35 TP - 440 E 35 TP 259 KW 09.1998	 ø 400 2"-10N	2789	500317871 500392868 500392872 50317871
EURO TRAKKER			
MP 190 E 31 H Cursor 228 KW 09.1999-11.2004 MP 190 E 31 W Cursor 228 KW 09.1999-11.2004 MP 190 E 34 H 254 KW 01.1993 - 11.2004 MP 190 E 34 W 254 KW 01.1993 - 11.2004 MP 190 E 34 H 254 KW 01.1993 - 11.2004 MP 190 E 35 H Cursor 259 KW 09.1999 - 11.2004 MP 190 E 35 W Cursor 259 KW 09.1999 - 11.2004 MP 260 E 31 H Cursor 228 kw 09.1999 - 11.2004 MP 260 E 31 HB Cursor 228 kw 01.2001 - 11.2004 MP 260 E 34 H 254 KW 01.1993 - 11.2004 MP 260 E 34 W 254 KW 01.1993 - 11.2004 MP 260 E 34 W 254 KW 01.1993 - 11.2004 MP 260 E 35 H Cursor 259 KW 01.2000 - 11.2004 MP 260 E 35 W Cursor 259 KW 09.1999 - 11.2004 MP 340 E 34 H 254 KW 01.1993 - 11.2004 MP 340 E 35 H Cursor 259 KW 09.1999 - 11.2004 MP 340 E 35 HB Cursor 259 KW 01.2001 - 11.2004 MP 380 E 34 H 254 KW 01.1993 - 11.2004 MP 400 E 34 HT 254 KW 01.1993 - 11.2004	 KZISZ-5	370264A	1878 032 002 1878 032 003 1878 032 004 1862 390 031 42556650 29902486 504120865
STARLIS			
AD 190 S 31,AT - 190 S 31 228 KW 06.2003 260 S 35 AD 260 S 35 AT 260 S 35 AD 02.2002			3151 000 144 3151 225 001 3151 203 031 3151 225 031

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
AS 440 S 35 AD			

[illegible]

  	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
Tipi Applicazioni Truk make Model			
IVECO DEUTZ MAGIRUS			
130 D 13 FL 130 D 15 K 130 D 16 FL 130 L 81 130 M 7 FL,FAL 130 M 8 FL,FS,FK,FAL 130 M 9 FL,FS,FK,FG 130 M 11 FL,FK 130 M 13 FL 130 M13 FL,FGB,FK 130 R 81		MF 310 AA1142	01903927 01903847 01903934 01903903 8602 1253 8602 1252 8602 1252U-E-S 3482 008 033 3482 008 031 3482 008 003
IVECO			
Serie EUROFIRE MK			
EURO FIRE 65.12 A MK 80-13 AW 96-99 KW 81>91 60 65-12 A FIRE FIGHTING 01.96> 75-13 AW 75-13 AWM 01.87 > 315 315-13 316 316-13		MF 310 AA1142	01903927 01903847 01903934 01903903 86021253 86021252 86021252V-E-S 3482 008 033 3482 008 031 3482 008 003
Serie EUROSTAR			
180 E 42 - 47 - 52 190 E 42 - 47 - 52 240 E 42 - 47 - 52 260 E 42 - 47 - 52 400 E 42 - 47 - 52 440 E 42 - 47 - 52 180 E 39 180 E 43 190 E 39 190 E 43 240 E 39 240 E 43 260 E 39 260 E 43 400 E 39 400 E 43 440 E 39 440 E 43	8210 - ZF/Fuller g.box 8210 - ZF/Fuller g.box 8210 - ZF/Fuller g.box 8210 - ZF/Fuller g.box 8460 - ZF/Fuller g.box 8210 - ZF/Fuller g.box eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor eng. Cursor	GMZ 430 A Tiro Pull Type	01904751 01904779 01904780 42102097 42102099 42102947
Serie EUROTECH			
180 E 42 180 E 42 190 E 42 190 E 42 240 E 42 240 E 42 260 E 42 260 E 42 400 E 42 400 E 42 440 E 42 440 E 42	8210 - Fuller gearbox 8210 - ZF gearbox 8210 - Fuller gearbox 8210 - ZF gearbox 8210 - Fuller gearbox 8210 - ZF gearbox 8210 - Fuller gearbox 8210 - ZF gearbox 8210 - Fuller gearbox 8210 - ZF gearbox 8210 - Fuller gearbox 8210 - ZF gearbox		3482 083 032 3482 083 038
		AA1127	

[illegible]

[illegible]

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
DAF			
F 2100 FA 2100 DH 115 KW 07.78>09/86 FA 2105 DH 115 KW 07.86>08/91 FA 2100 DH-DF 115 KW 07.78>08/91 FA 2105 DH 115 KW 07.78>08/91 TT 1303 DH		GMF 360 AA1141	00660306 3482 011 331 3482 011 232 3482 011 332 3482 011 231
DROGMOLLER			
E 280 - E290 - E300 - E319 - E320 E 330 - E 420 - E430 - E440	OM 422A G.Box ZF OM 422 A	AA1116	1882 330 033 1882 301 239
EVO BUS			
S 213 H - HD S 215 H - HD S 215 HD S 215 HD S 215 HD S 216 HDS S 216 HDS S 216 HDS	OM 422 A OM 422 A MAND2866KOH MAND2866LOH OM 422 A MAND2866KOH OM 422 A OM 422 A	GFX 420 AA1115	 1882 342 101 1882 342 131 1882 342 134
S 310 S 140 - ES S 140 ES S 200 Vheicle 20 S 200 Vheicle 21 > S 210 H-HD S 211 H-HD - S 213H-HD-RL S 212 S 213 HD - HR - S 215 HD-HR S 215 UL S 215 H-HD-RL S 215 UL S 215 UL -SL (G.Box S 4-90,S 5-80,S 6-80,S 6-150C) S 221 UL (G.Box S 4-90,S 5-80,S 6-80,S 6-150C) SG 180 (G.Box S 6-80,S 4-90)	OM 407 H OM 407 H D2566DHU G.BoxS 6-80 OM 403 OM 403 OM 421 A G.Box S 6-90 OM 422 G.Box S 6-90 OM 403 G.Box S 6-90 OM 403 G.Box S 6-90 OM 422 Gtr. S 6-90-6-150C OM422.442 Gtr. S6-90 OM 447 Gtr. S 6.85 OM 407H-HA427H,HA OM 447 MAND2566DHU	GF 420 AA1116	 1882 330 033 1882 301 239
S 130 S G.Box S 6-80 S 4-90 S 140 ES G.Box S 6-80 S 4-90 S 209 H G.Box S 6-65 S 211 H S 214 G.Box S 6-65 S 211 H G.Box S 6-65 S 212 G.Box S 6-65 S 212 G.Box S 6-80 S 213 S 215 G.Box S 6-65 S 212 G.Box S 6-80 SG 180 G.Box S 6-80 S4-90	OM407H-MAN-D2566 OM407H-MAN-D2566 OM401 OM401 OM421 OM401 OM402 OM401 OM402 OM407H-MAN-D2566	GF 380 AA1117	 1882 302 131
S 12 L S 125 SG 175	520GK 520GK 520GK	Spindisco incassato Cover P/Plate pot AA1130	1882 325 035 1882 325 134
S 215 HR (G.Box S 8-180) S 215 RL (G.Box s 6-85) S 238 DT (G.Box S 8-180) S 315 GT (G.Box S 8-180)	OM441LA OM401LA OM442LA	GMZ 430 A Tiro Pull Type AA1127	3082 083 032 3482 083 038
NF 315 S 315 UL	OM447 OM441-447HLA	GMZ 430 A Tiro AA1128	3482 081 231 3482 083 031 3482 081 031
S 309 S 310 HD,HDH S 315 GT S 315 UL	OM441LA OM401LA-422 MAND2866LUH	GMZ 430 A Tiro AA1128B	3482 081 232 3482 086 031

[illegible]

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code   CO.ME	Ad.:Codice O.E  Suitable: SACHS
MAGIRUS DEUTZ			
BUS 230 E 113 (Versione 42246069) BUS 230 SH 110 BUS 260 E 113 (Versione 42246065/70) SATURN EUROPAWAGEN 220 M 16 AK 232 D 16 AL 232 D 20 AL 235 D 22FL,FS 6x4 250 D 22 - 250 D 22 FK 6x4 10 Cil. 256 D 14 F 256 D 16 AK (Versione 2551676) 256 D 16 FS,FL,FLL,K 256 D 19 AK,FL,FS,K,S 256 D 22 FLL 256 D 26 AK,K, 6x4 256 D 26 FB 6x4 256 M 26 FB,L 6x4 290 D 22 FK 6x4 (10 Cil.)	F8L914 S6L714 F8L413 F8L414F G.Box ZF	G 380 Spindisco incassato Cover P/Plate pot AA1125	1882 325 009 1882 325 039 1882 325 139
270 D 16 FAK,FK - 270 D 19 . 270 D 22 FL,FLL,FS 270 D 26 AK,FAK - 280 M 26 FS 310 D 15 AK,FAK,FK,FL,FS,K 310 D 16 AK,FAK,FK,FLL,FS,K,S - 310 D16 FL 310 D 16 FSL Vers. 42230102 310 D 19 AK,FAK,FK,FL,FS,FS,S 310 D 21 F 310 D 22 AK,FAK,FAL,FKFL,FS 310 D 22 FA Vers. 42230120 - 310 D 26 AK,FAK,FS,S 310 D 28 FK,FL - 310 D 32 K 310 D 26 K Ver.2551652 - 320 D 20AL,AS,FAT,FS 320 D 26 F,FA,FT	F10L413F	GF 420 AA1116	1882 330 033 1882 301 239
130 130 D 9 FA,FL 130 D 11 FL 130 D12 AK,K 130 D 13 FL 130 D 15 K 130 D 16 FL 130 L 81 130 M 7 FL,FAL 130 M 8 FL,FS,FK,FAL 130 M 9 FL,FS,FK,FG 130 M 11 FL,FK 130 M 13 FL 130 M13 FL,FGB,FK 130 R 81		MF 310 AA1142	3482 008 033 3482 008 031 3482 008 003 8625 33/53 01903927 01903847 01903934 01903903 8602 1253 8602 1252 8602 1252U-E-S 3482 008 033 3482 008 031 3482 008 003

[illegible]

  	Motore 	Codice Code  	Ad.:Codice O.E. 		
Tipi Applicazioni Truk make Model	Engine	CO.ME	Suitable: SACHS		
MAN					
26.256 26.280 - 26.304 26.320 30.240 - 30.256 - 30.280 - 30.304 30.320 32.240 32.280 32.320 - 33.280 - 33.320 BUS 200 SL BUS 240 SR Versione TURCHIA BUS 750 HO - 750 SL,141 Kw - 750 SL 141 kW 890 UG-UO	D2538M,MF D2538MT-D2530MF D2538MT-D2530MF D2530MF D2538MT-D2530MF D2556	GF 420 AA1116	81.303.059.111 1882 330 033 1882 301 239		
535 HO 535 (Version Turkey)		G 350 KR AA1131	1881 039 532		
BS 13 L 15 L 12.192 U 13.168 14.220 526 (Clutches in according with Customer requirement) ⊗	U 10 D D2855BYUL DM2538M D2566MF	Spindisco incassato Cover P/Plate pot G 380 AA1130	88.30304.0003 88.30305.0003 88.30305.9003 90.9044.56201 904.456.201 1882 325 035 1882 325 134		
F 90					
16.292 F01,02,03 27.292 F10 28.292 F09,13,14 30.292 F13,14 32.292 F09,10,13,14 36.292 F14 36.332 F14 38.292 F17 ⊗ Clutches in according with Customer requirement ⊗	D2866LF07	GMZ 430 A Tiro Pull Type	83.30305.0158 83.30305.0193 83.30305.6007 83.30305.9193		
16.342 F01,02,03 28.342 F14 16.362 F01,02,03,U11,13 38.362 F17 16.372 F01,02,03 Clutches in according with Customer requirement ⊗ 16.402 F01,02,03 16.422 F01,02,03,U11 17.462 F21,22 19.462 F21,22 22.462 F25,28 25.462 F25,28 32.462 F29,30 Clutches in according with Customer requirement 17.502 F21,22 Clutches in according with Customer requirement 19.292 -19.462 FL - 19.292FLL F01,F02,F03 19.292 FA F04 19.292 FS-FLS-FLLS F01.02,03,04 19.292 FAS F04 Clutches in according with Customer requirement ⊗ 19.292 FAKI F04 Clutches in according with Customer requirement ⊗ 19.322 FS,FLS,FLLS F01,F02,F03,F4,U11 08.93 > 19.332 FS,FLS,FLLS F01,F02,F03,F4 19.342 F,FL,FLL,FA,FS,FLS,FLLS, F01,F02,F03,F04 19.342 FK,FAK F01,F02,F03,F04 19.362 F,FL,FLL F01,F02,F03,F04 19.362 FS,FLS,FLLS F01,F02,F03,F04 19.372 F,FL,FLL 272 Kw F01,02,03	D2865LF D2866KF-KU-LXF D2866LF01-03-05 D2865LF D2866LF-06/90 D2480LF D2480LF-01/04 D2866LF07 D2866LF07 D2866LF07 D2866				
19.372 FA F04 - 19.372 FS,FLS,FLLS, 272 Kw F01,02,03 19.372 FAS F04 - 19.372 FK,272 Kw F01, - 19.372 FAK F04 ⊗ Clutches in according with Customer requirement	D2866FL01,03,05 D2866				
19.402 F,FL,FLL, F01,F02,F03,F04 19.402 FA F04 - 19.402 FK F01 - 19.402 FAK F04 19.402 FS,FLS,FLLS F01,F02,F03 19.402 FAS F04 19.422 F,FL,FLL F01,02,03 19.422 FA F04 19.422 FAS-FAK 19.462 F,FL, F01,F02 19.462 FS,FLS F01,02 19.462 FK F01 19.502 F,FL,FLL,FS,FLS,FLLS F21,22 22.292 F05,06,07,08,16 22.332 F05,06,07,08, ⊗ 22.362 F05,06,07,08,16 25.362 F05,06,07,08,16 ⊗	D2866LF D2866LF D2866LF D2866LF06-09 > 07.89 - D2840LF D2840LF01-04 D2866LF07-08 D2866KF-KU-LXF			3482 083 032 3482 083 038	
AA1127					

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
MAN			
F 90			
22.372 F05,06,07,08,16	⊗	D2866LF01,03,05	
22.422 F05,06,07,08,16	⊗	D2866LF06-09	
22.502 F25,28,36 32.502 F29,30 33.502 DF-DFA F029 ,F30	⊗	D2840LF01,04	
23.272 F20 07/93 >		D2840LF02,04,05	
⊗ Clutches in according with Customer requirement	⊗		
23.322 F20 07.1993 >		D2865LF03	
23.342 24.342 F20 01.1994 >		D2865LF21	
23.372 24.372 F20 01.1993 >		D2865LF03	
23.422 F20 27.422 F09,10 28.422 F09,13,14 30.422 F13,14		D2866LF06-09	
31.422 F13,14 36.422 F14 38.422 F17		D2866LF06-09	
24.292 DF-DFS-DFLS F08,16 24.292 DFK F08	⊗	D2866LF07	
24.292 FNL FVL F05,06,07 24.292 FNLS FVLS F05,07	⊗	D2866LF07	
⊗ Clutches in according with Customer requirement	⊗		
24.322 F20 07.1993 >		D2865LF03,06	
24.502 DF-DFS-DFA-DFA FN L F25 - 25.502 DF-DFS FN L F25	⊗	D2840LF01,04	
25.292 F05,06,07,08,16	⊗	D2866LF07	
25.332 F05,06,07,08,16	⊗	D2866LF08	
25.372 DF 272 Kw 25.372 DF-DFLS F08,F16	⊗	D2865LF03,05	
25.372 DFK 272 Kw 25.372 FNLS-VFLS F05,07	⊗	D2865LF03,05	
25.422 DF DFS DFLS DFK FNL FNLS F05,07,08,F16	⊗	D2866LF06-09	
26.292 DF DFS DFK DFA DFAS F09,F10,F16	⊗	D2866LF07	
26.292 DFAK F05,F10,F16	⊗	D2866LF07	
26.332 DF DFS DFKDFA DFAS DFAK F05,F09,F10,F16	⊗	D2866LF08	
26.362 DF DFL DFS DFK DFA DFAS DFAK F05,F10,F16	⊗	D2866KF-KU-LXF	
26.372 FNL DFL DFS DFK DFA DFAS DFAK F05,F10,F16	⊗	D2866LF01-03-05	
26.422 DF DFL DFA DFS DFAS F05,10,16,18,19	⊗	D2866LF01-03-05	
26.422 DFK DFAK FNL FNLL FVLS F05,10,16,18,19	⊗	D2866LF01-03-05	
26.462 DF DFS F29	⊗	D2840LF	
26.502 DF DFS DFLS FNL FNLL F28,F28,F36	⊗	D2840LF01,04	
27.362 F10-F14 35.362 F14 36.362 F14		D2866KF-KU-LXF	
27.372 F30	⊗	D2866LF01,03,05	
27.502 F30	⊗	D2840LF01,07	
28.362 F09,F13,F14	⊗	D2866KF-LXF	
28.372 F09,F13,F14	⊗	D2866LF01,03,05	
28.402 F14		D2865LF	
30.342 - 31.342 - 34.342 - 36.342 01.94 >		D2865	
30.402 - 31.402 - 32.402 - 34.402 01.94 >		D2866	
32.332 VF - VFK E15,F09,10,13,14	⊗	D2866LF08	
32.362 VF - VFK E15,F10,13,14	⊗	D2866KF-KU-LXF	
32.372 VF - VFK E15,F10,13,14	⊗	D2866LF01-03-05	
33.292 DF DFA DFS DFAS DFK DFAK F09,10,13,14	⊗	D2866LF08	
33.332 DF DFA DFS DFAS DFK DFAK F09,10,13,14	⊗	D2866LF/290/330	
33.362 DF DFA DFS DFAS DFK DFAK F09,10,13,14		D2866K-LXF	
33.372 DF DFA DFAK F10,13,14		D2866LF01,03,05	
33.422 DFA DFAK F10,13,14		D2866FL6-FL9	
33.462 DF DFA F29,30	⊗	D2840LF/460	
34.322 F14 36.322 F14 34.372 F14	⊗	D2865LF01,03,06	
35.292 E15 F14 35.292 E15, F14 (88>93)	⊗	D2866LF	
35.342 VF VFK F14 (94>96)		D2865	
35.372 VF 8x4/4 F14 35.372 VF 8x6/4 F14 01.88 >	⊗	D2866FL01,03,04,05	
35.372 VFK 8x4/4 F14 35.372 VFK 8x6/4 01.88 >		D2866FL01,03,04,05	
35.402 VFK 8x4/4 F14-35.402 VFK 8x6/4-VFK 8X4 01.88 >		D2866	
35.422 VF 8x4/4 35.422 VF 8x6/4-VFK 8X4/4 8x6x4 F.14		D2866LF09	
40.422 DFA F12 (01-91 >)	⊗	D2866LF09	
40.462 DF 40.462 VF F15 (01.85 >)		D2840LF/460	
41.292 VF VFK F14 41.332 VF VFK F.14 01.85 >		D2865LF290-330	
41.322 VF F12 (01-98 >)	⊗	D2865LF/290/330	
41.342 VF F12 (94-96)		D2865	
41.362 VF VFK F14 (88-90)		D2866KF-KU-LXF	
41.372 VF F14 (01.98 >)		D2866LF01,03,04,05	
41.422 VF F14 (01.98 >)		D2866LF06-09	

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code   CO.ME	Ad.:Codice O.E  Suitable: SACHS
MAN F 90 41.402 VF F14 (94-96) 48.332 VF VFA VFKA F15 (01.85 >) 48.326 VF VFA VFKA F15 (01.85 >) F 90 Unterflur 16.332 U01,03 22.332 U05,06 25.332 U05,06 26.332 U05,06 16.372 16.322 U, 19.322 ULL U11,U13 07.93 > 19.332 U 19.322 ULL U01,U03 19.362 U 19.362 ULL U01,U03,11,13 19.372 U - 19.372 ULL U11,U13 19.422 U - 19.422 ULL U11,U13 F1-02-023-04-U11 22.362 U05,06,16 - 25.362 U05,06,16 - 26.362 U06,06,16 22.372 - U16 22.422 U15 23.362 U07 24.332 UNL 24.332 UNLL U05,06,07 24.362 UNL 24.362 UNLL U05,06,16 24.372 UNL 24.372 UNLL U16 24.422 UNL 24.422 UNLL F20,U15 25.372 UNL 25.372 UNLL U15 25.422 UNL 25.422 UNLL U15 26.372 UNL 26.372 UNLL U16 F 2000 18.273 - 18.293 - 18.343 T01,02,03 32.323 - 35.293 -T15 35.323 T15,16 37.323 T16 37.343 T16 41.323 T16 18.373 T31,32 18.373 T33 - 18.403 T33 - 18.423 T33 - 21.373 4x4 FA T34 18.403 T31,32 - 18.423 T31,32 -18.463 T31,32 - 19.404 T31,32 19.322 FCNG T31 -26.404 T39,40,42,48 -28.373 T48 26.403 T48 -28.423 T48 19.273 F - 19.273 FL,FLL T01-02-03 19.273 F - 19.273 FL,FLL T01-02-03 19.273 FA T04 19.273 FS-FLS T01,02 - 19.373 FL T01 - 19.273 FAK T04 19.273 FC-FLC-FLLC T01,02,02,T20 19.293 FS-FLS T01,02,02,20 - 19.393 FK-FLK T01,02 19.293 FAS-T04 - 19.393 FAK-FLK T04 - 19.293 FAC T04 19.323 FC-FLC-FLLC T01,02,03 19.323 FS-FLS-FLLS T01 19.323 02,03 19.323 FAS T04 19.323 FK-FLK-FAK T01,02,03 19.343 FC-FLC-FLLC T01,02,03 19.343 FS-FLS-FLLS T01,02,04 19.343 FK-FLK T01,02,03 19.344 T0420,E52 21.434 T04 23.344 T05 24.343 T05,06,E53 28.343 T08 19.373 FC-FLC-FLLC T31,32 19.373 FS-FLS-FLLS T33,34 19.373 FAC-FAS-FAK T33,34 19.373 FK-FLK T31,32 19.403 FC-FLC-FLLC T31,32,33 19.403 FS-FLS-FLLS T31,32,33 19.403 FK-FLK T31,32 19.404 T34,E61,62 19.464 T34,E61,62 21.403 4x4 FA T34 19.404 T50 01.95 > 05.96 19.423 FC-FLC-FLLC T31,32 19.423 FS-FLS-FLLS T31,32 19.423 FC-FLC-FLLC T31,32 19.423 FS-FLS-FLLS T31,32 19.423 FAC-FAS-FAK T34 19.423 FK-FLK T31,32 19.463 FC-FLC-FLLC T33 19.463 FS-FLS-FLLS T33 19.464 T 50 01.95 > 05.96 21.273 T04 26.273 T06-10,12,E53,69 21.293 T04 26.323 T06-10,12,E53,69 33.323 T12 21.323 4x4 FA T34 21.463 4x4 FA T34 23.273 T05 24.273 T05,06,E53	D2866 D2866LF330 D2866KF-KU-LXF D2866LF,LU D2866L3 D2865LF03,06 D2866LF,LU D2866KF,LU D2866FL03 D2866LF06,09 D2866FK,LU D2866LF03 D2866FL06 D2866LF,KUL D2866LF-LU D2866LF-LU D2866LF03 D2866LF06 D2866LF03 D2866LF06 D2866LF03 D2866LF D2866LF D2866LF D2866 D2866LF21 D2866 D2866 D2866 D2865 D2865LF22 D2865-D2865LF22 D2865 D2865FL D2865LF D2865LF D2865 D2865LF D2865LF D2865LF D2865LF21 D2865LF21 D2866 D2865LF21 D2866 D2866-D2866LF20 D2866 D2866LF20 D2866LF20 D2866 D2866LF22 D2866LF22 D2866 D2876F02-D2876LF D2876LF02 D2865LF22 D2865LF24 D2866LF22-D2876LF02 D2865LF22	GMZ 430 A Tiro Pull Type	83.30305.0158 83.30305.0193 83.30305.6007 83.30305.9193 3482 083 032 3482 083 038 AA1127

			Motore	Codice Code	Ad.:Codice O.E
Tipi Applicazioni Truk make Model			 Engine	 CO.ME	 Suitable: SACHS
MAN					
F 2000					
23.293 FNLLC T05 04.94 > 23.323 24.323 T05.06,E53 28.323 T08 04.94 > 23.373 T35,37 24.373 T35,37 04.94 > 23.404 T35,37 24.403 T35,37 25.403 T37 04.94 > 23.423 T35,37 24.423 T35,37 01.94 > 23.464 T35,37 24.463 T35,37 01.94 > 24.293 T05,06,E53 28.293 T08 01.94 > 26.273 DCF-DFLC T09,T10 26.273 DFS DFLS T09,T10 26.273 DCK-DFLK T09,T10 26.273 FNLC-FNLLC 26.273 FVLC T06,T07,T08 26.273 FNLS-FVLS T06,08 26.323 DFC-DFCL T09,T10 26.323 DFS-DFLS T09,T10 26.323 DFK-DFLK T09,T10 94>95 26.323 FNLC-FNLLC-FVLC T06,T07,T08 94>95 26.323 FNLS-FVLS T06,T08 94> 95 26.293 DFC-DFCL-DFS-DFLS-DFK.DFLK T09,T10 94> 26.293 FNLC-FNLLC-FVLC- T08,09,10,12 E53 94> 26.293 FNLS-FVLS- T08,09,10,12 E53 94> 26.343 DFC-DFLC-DFS-DFLS-DFK T06,08,10,12 E53 94> 26.343 DFLK-FNLC-FNLLC-FVLC-FNLS-FVLS T06,08,10,12 E53 26.373 DFC-DFLC-DFS-DFLS-DFK-DKLK T39,T40 01.94> 26.403 DFC-DFLC-DFS-DFLS-DFK T39,T40 01.94> 26.403 DFK-DFLK T39,T40 01.94> 26.423 DFC-DFLC-DFS-DFLS-DFK-DFLK T39,T40 27.373 DFC-DFS-DFS-DFK T39 T40 T42 T48 94-95 27.423 DFC-DFS-DFK T48 94-95 27.463 T48 27.464 T39,T40,T48 94 > 27.273 DFAC-DFAS-DFAK T12 94-95 27.293 DFAC-DFAS-DFAK T12 94 > 27.323 DFAC-DFAS-DFAK T12 94-95 27.343 DFAC-DFAS-DFAK T05,08,09,10,E53 94 > 27.373 DFAC-DFAS-DFAK T39,40,42,48 94 >95 27.403 DFAC-DFAS-DFAK T39,40,42,48 94 > 27.423 DFAC-DFAS-DFAK T39,40,42,48 94 >95 27.402 T39,40,42 27.463 DFC-DFS-DFL T48 94 > 27.463 DFAC-DFAS-DFAK T39,40,42,48 94 > 28.273 T08 94 > 28.463 T48 38.463 T48 94 > 28.603 T70,78 01.96 > 32.293 VFC T15 08.95 > 32.343 VFC-VFK T15 08.95 > 32.373 - 35.373 - 37.373 T45,46 > 05.96 32.403 VFC T45,46 08.95 > 32.403 VFK T45 35.403 VFC T46 41.403 VFC-VFK T46 95> 32.423 35.423 37.423 41.423 T45,46 94 > 32.463 VFC-VFK 35.463 VFC-VFK 41.663 VFC-VFK T45,46 33.273 T12,E69 01.94 > 33.343 DFAC-DFAS-DFAK T12 01.94 > 33.373 DFAC-DFAS-DFAK T42 94-95 33.403 DFC-DFS-DFK T42,48 94 > 33.403 DFAC-DFAS-DFAK T42,48 94 > 33.423 DFC-DFS-DFK T42,48 94-95 33.423 DFAC-DFAS-DFAK T42,48 94-95 33.463 DFC-DFS-DFK T42,48 94-95 33.463 DFAC-DFAS-DFAK T42,48 94 > 35.343 VFC-VFK T15,16 95 > 37.403 T45,46 96 >			D2865LF24 D2865LF23 D2865LF21 D2866LF20 D2866LF22 D2876LF02 D2865LF24 D2865LF22 D2866LF23 D2866LF23 D2866LF23 D2866LF23 D2865LF D2865LF D2865LF24 D2865LF24 D2865LF24 D2865LF21 D2865LF21 D2866 D2866LF20 D2866LF20 D2866 D2866 D2866 D2876 D2876 D2865LF22 D2865LF24 D2865LF23 D2865LF21 D2866 D2866 D2866 D2866F16-D2876 D2876 D2865 D2876 D2840LF20 D2865LF D2865LF D2866LF21 D2866LF20 D2866LF20 D2866LF22 D2876LF02 D2865-2866 D2865LF21 D2866LF21 D2866 D2866 D2866LF22 D2866LF22 D2876 D2876 D2865LF D2866LF20	GMZ 430 A Tiro Pull Type	83.30305.0158 83.30305.0193 83.30305.6007 83.30305.9193
				AA1127	3482 083 032 3482 083 038

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
MAN			
F 2000 37.403 T45,46 94 > 37.463 T45,46 94 > 40.463 T45,46 41.343 VFC-VFK T16 08.95 > 41.373 T45,46 > 05.96 M 90 Serie 19-22-27-38-40 24.272 FNL - 24.272 FVL F.20 07.93 > 16.290 753 754 > 06.95 16.462 753 754 01.85 > 19.342 753 754 01.94 > 22.403 - 22.463 01.97 > 27.343 01.94 > 38.462 01.85 > 40.332 01.85 > 40.362 01.85 > BUS 18.370 HOCL/R - 18.420 HOCL/R 01.92 > LION STAR FRH 322 A03 LION STAR FRH 422 A03 NL 223 A21 - NL 263 A21 NL 313 A21 01.96 > NL 202 A20,21 NL 262 A20,21 NL 263 A20,21 G.Box S 6-85 92> NL 202 A20,21 NL 262 A20,21 NL 263 A20,21 G.Box S 6-85 91> NU 223 A20 NU 263 11967 A20 cc. 07.98> NU 263 6871 cc. A20 07.98> NU 263 6871 cc. A20 07.98> NU 313 6871 cc. A20 07.98> UL 242 - UL 272 893 > 06.91 UL 312 - UL 322 893 92-96 UL 313 A01 - UL 353 A01 (vehicles with retarder) 06.97 > UL 313 A01 - UL 353 A01 (G.Box S 6-1600) 06.97 > UL 313 A01,04 - UL 353 A01,04 (G.Box S 6-1600) 06.97 > UL 313 A04 - UL 353 A04 (G.Box 8 S 180)	D2866LF20 D2876LF02 D2876LF01 DF3865LF D2866LF21 D2865LF02,04,05 D2866TOH D2840LF D2866LF03 D2866-2867 D2865LF09 D2840LF D2866LF D2866KF,KU,LXF D2865-2866LOH D2865-2866LOH D2865LUH D0836LUH02 D0836LUH02 D2865LUH09 D0826LUH13 D0836LUH01 D2866LUH26 D2865LUH D2865LUH D2866LUH D2866LUH28-25 D2866LUH24 D2866LUH30	GMZ 430 A Tiro Pull Type AA1127	83.30305.0158 83.30305.0193 83.30305.6007 83.30305.9193 3482 083 032 3482 083 038
MERCEDES BENZ			
911 L - LA - LP - LK - LS - LAS 911 B LAK - LAF - LAKO 911 B 1013 - 1019 1013 B 1114 - 1124 L - LA - LK - LP - LS 1113 B L - LA - LK - LP - LS 1113 B L - LA 1113 SA 016 655/2 L - LK - LS - LKO 1113 B (358.000-/023) LAK - LAS - LPS - 1113 B 1213 - 1245 L - LA - LP - LS - LPK - LPS 1213 1313 LA - LK - LAS 1313 LP - LPK - LPS - L - LK - LS - LKO 1313 1413 - 1414 L LA LP 1413 L LA LP 1413 Special Version 1813 - 1819 1813 6x2 (352) 1813 6x2 SA-Turbo O301 - O 302 OF 1113 - OF 1417	Chass. 760272 -> eng. OM 352 eng. OM 358 eng. OM 358 eng. OM 352 - 353 eng. OM 358 eng. OM 352 eng. OM 352 - 353 eng. OM 352 - 353 eng. OM 352 eng. OM 352 eng. OM 352 eng. OM 352	GF 295 AA 1135	OE: 000 250 63 04 F&S 1882 201 132 LUK 130 0001 20 VALEO 355 131

[illegible]

 Tipi Applicazioni Truk make Model	 Motore Engine	 Codice Code CO.ME	 Ad.:Codice O.E Suitable: SACHS
MERCEDES BENZ			
1623 K,L,S,AK,AS,LS 387.22-24 387.026/027 387.022-024 387.053/054-387.122 387.154 387.222-224 387.226/227	OM403	GF 420	
1625 1625 L 617.435/436/437	OM422		
1625 1625 L Ch. >5107148 (617.435/436)			
1628 - 1628 - 1628 L	OM421-OM422		
1628 A (621.219) 1628 S - LS	OM422		
1632 LP -LPK - LPS	OM403		
1632 - 1632 L - 1632 S - LS - AS	OM403		
1632 K (387.053/54) - 1632 AK (387.154)	OM403		
1928 L,LK,LS 1928 - 1928 L	OM422		
1928 A - 1928 S, LS, AS, AK,K,	OM422		
1932 LP-LPS - S - LS 1932 A - AS	OM403		
1932 K 1932 AK	OM403		
2028 A 6x6 - 2028 LS	OM422		
2032 LPS - 2032 S	OM403		
2222 - 2222 L	OM421.905		
2222 B	OM421		
2224 B - 2224 LP	OM403		
2225 B	OM422		
2228-228 L (623.006-007-008-009/058/407/408/458)	OM422		
2228 (623.032-033/130)	OM422		
2228 S (623.032.033/130/180)	OM422		
2232 2232 L -S- LS	OM403		
2232 LP,LPL,LPK,LPS,	OM403		
2236 (623.058)	OM422		
2628 (623.007 623.009)	OM422		
2628 L,LK,LS (343.031 343.033/034 343.044)			
2628 206 Kw (624.032/033)	OM422		
2628 S (624.131)	OM422,905,911		
2628 S (624.131)	OM355LA,422		
2628 S (624.131)	OM422		
2628 K (624.132 624.134)	OM422		
2628 B (624.030)	OM422		
2628 A (624.232/233)	OM422		
2628 AS (624.331)	OM422		
2628 AK (624.333/334)	OM422		
2632 236 Kw 395.322/325-326/352/354/422/425/452-453 454/322/326/352/354/422/452/454	OM403		
2632 A,AK 395.322/325-326/352/354/422/425/452-453-454	OM403		
3025 K 8x4/4 (625.009)	OM422		
3025 B (625.005)	OM422		
3028 6x2 (623.009) 3028 B,K 6x4 (623.032)	OM422		
3028 K (625.018/19) 328 B (6225.015/018)	OM422		
3228 K (625.009-625.018/019) 3228 B (625.005)	OM422		
3233 B (625.005)	OM441A,LA		
3235 K (625.018-019)	OM422A		
3228 (624.033/233)	OM422		
3228 K (624.032/232 625.025/028-029)	OM422		
3332 (395.325-326 395-325-326 Special design)	OM403		
3335 (624.233) 3336 (624.233)	OM423-OM422A		
3528 K 206 Kw - 3526 B	OM422		
3535 AK 260 Kw (624.232-233 625.029/025/028/029)	OM422-442		
4445 (624.233) - 4645 (624.233-659.233)	OM442A-443A		
BUS O 303	OM421		
BUS O 303 236 Kw	OM403		
BUS 303 206 Kw	OM422		
BUS O 407 Model 357.110	OM447		
BUS OH 1625 L (396.376/378/476/478)	OM422		
MERCEDES BENZ			

  				
Tipi Applicazioni Truk make Model		Engine	CO.ME	Suitable: SACHS
1019 AF (380.083/183)		OM401	GF 380	
1222 AS Ch. > 5234953		OM421-422		
1222 L 615.026-028 Ch. > 5234953		OM421-422		
1222 A 159 Kw 615.122/224/226 (Ch.> 5234953)		OM421-422		
1222 F 159 Kw 615.064 (Ch.> 5234953)		OM421-422		
1222 AF 159 Kw 615.264		OM421-422		
1225 AF 615.264		OM421-422		
1228 AF 615.064 (Ch.> 5234953)		OM421-422		
1422 LS 616.521/522 (Ch.> 5234953)		OM421-422		
1422 - 1422 L 159 Kw 616.024-028/426-428 Ch. >5234953		OM421-422		
1425 616.026-028 Ch. >5234953		OM421-422		
1425 AF 615.264		OM421-422		
1425 F 615.065 616.065 1425 L 616.426-428 Ch.>5234953		OM421-422		
1428 AF 615.264		OM421-422		
1428 F 615.065 616.065 Ch. >5234953		OM421-422		
1619 L 385.054-055/070/072/020/024/026/029/046/048		OM401		
1619 K 385.046-048		OM401		
1619 KO 385.070-072		OM401		
1619 S 385.054-055/070/072/020/024/026/029/046/048		OM401		
1622 L (617.424-428/023-029) Ch.> 234953		OM421		
1622 S (617.121-122) Ch.> 234953		OM421		
1622 K (617.126-127) Ch.> 234953		OM421		
1622 AK (617.326) Ch.> 234953		OM421		
1624 L 385.237-239-256-030-034-036-039-049-056-057		OM402		
1624 S LS-385.237-239-256-030-034-036-039-049-056-057		OM402		
1624 K 385.049/090		OM402		
1626 L 387.114/144/212-21/-216-218/294/011-014/016-018/043-044/112		OM402		
1626 K 387.114/144/212-21/-216-218/294/011-014/016-018/043-044/112		OM402		
1719 387.006		OM401		
1719 S 387.002		OM401		
1719 K 387.033-034		OM401		
1719 AK 387.134		OM401		
1919 389.006-007-008-009		OM401		
1919 S 389.002-003		OM401		
1919 K 389.034		OM401		
1919 AK 389.134		OM401		
1922 159 Kw 621.005-008 Ch. > 234953		OM421		
1922 S 141 Kw 621.101-102 Ch. > 234953		OM421		
1922 AK 141 Kw 621.306-307 Ch. > 234953		OM421		
1922 L,LK, 141 Kw 3465.001-004 346.013 Ch. > 234953		OM355		
1926 A 188 Kw 389.115-116/144/213/012-014/016-019/043-044/112		OM402		
1926 A 389.115-116		OM402		
1926 S-LS 389.012-014 389.213-116		OM402		
1926 K 389.043-044		OM402		
2026 K 391.310		OM402		
2222 - 2222 L 619.017/019/417/419/208-209 Ch.> 234953		OM421		
2222 - 619.036 Ch.>234953 - 2222 K 619.036 Ch.> 234953		OM421		
2224 6x2 335.332-333-335-/338/383/385/387/395/397/399		OM402		
2224 6x2		OM403		
2224 6x4 335.332-333-335-/338/383/385/387/395/397/399		OM402		
224 6x4		OM402-403		
2224 S 2224 K 335.332-333-335-/338/383/385/387/395/397/399		OM402		
2226 S 2226 L 393.374-377 393-574-576		OM402		
2232 393.311/315-316/375-375-376-377		OM402-403		
2624 L,LK,LS, 343.001 343.003/004 343.014		OM355		
2626 B 2626 AB 395.372/472 Ch. >4372223		OM402		
2226 395312/315-316/342/344/412/415/442-443-444		OM402		
2226 A-AS-AK 395312/315-316/342/344/412/415/442-443-444		OM402		
MERCEDES BENZ			AA1117	1882 302 131
BUS O 303 159-160 Kw 12.8 t. 300.133/139-140/142 Ch.>053213				003 250 2404

100

 Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
1935 AS 656.322 - 1935 K 656.127 89-94 1935 AK 150-269 Kw 656.327 656.327.11 89-94 2031 230 Kw 656.147/205/302/011-012/014/142 03.92 > 2038 AK 655.337 2038 S 656.132 11.91 > 2431 652.095-097 2433 2433 L 653.061/064 653.462/464/475 89-92 2433 S 2433 SL 654.155/555 89-92 2433 K 653.158 89-92 2435 2435 L 658.012/013 658.063/413/463 88-94 2435 260-269 Kw 658.038 2435 S 658.135 2435 K 658.137/139 2435 S LS 657.110 657.110 657.560 658.116 88-94 2448 L 657.510 88 > 2524 653.040 653.042 653.050-054 88-94 2531 L 652.095-097/495-498 655.405-406/408 88-94 2531 2531 L 9572 cc. 653-040/042/050-054/450/454 12.90 > 2531 2531 L 9572 cc 655.005/006/009/307 654.012 01.94 > 2534 L 655.420-423 94 > 2534 2534 L 653.061-064/158/461-465/475 654.155/555 652.056 91> 2534 K 653.061-064/158/461-465/475 654.155/555 652.056 91> 2535 L 658.038 94 > 2538,2538 L 280 Kw 12736 cc 658.146-147/149-416-418-419 466-468-469-021-024-026-029-043-076-078-079 03.91 > 2538,2538 L 280 Kw 14618 cc 658.146-147/149-416-418-419 466-468-469-021-024-026-029-043-076-078-079 03.91 > 2538,2538 L 320 Kw 658.146-147/149-416-418-419 466-468-469-021-024-026-029-043-076-078-079 03.91 > 2538,2538 L 280 Kw 12736 cc 658.146-147/149-416-418-419 466-468-469-021-024-026-029-043-076-078-079 03.91 > 2538,2538 L 370 Kw 6x2 658.146-147/149-416-418-419-466- 468-469-021-024-026-029-043-076-078-079 03.91 > 2538 280 Kw 14618 cc 658.146-147/149-416-418-419-466-468- 469-021-024-026-029-043-076-078-079 03.91 > 2538 370 Kw 6x4 658.146-147/149-416-418 469-021-024-026-029-043-076-078-079 03.91 > 2538,2538 S 280 Kw 12736 cc 655.035-037-138-337-434-436 437- 657.120-520-570 03.91 > 2538,2538 LS 320 Kw 655.035-037-138-337-434-436-437- 657.120-520-570 03.91 > 2538,2538 LS 320 Kw 14618 cc 658.146-147-149-416-418 419-466-468-469-021-024-025-029-043.076-078-079 01.94 > 2538 K, 280 Kw 12736 cc 658.146-147-149-416-418-419-466 468-469-021-024-025-029-043.076-078-079 01.94 > 2538 K, 280 Kw 14618 cc 658.146-147-149-416-418-419-466 468-469-021-024-025-029-043.076-078-079 01.94 > 2538 K, 320 Kw. 658.146-147-149-416-418-419-466 468-469-021-024-025-029-043.076-078-079 03.91 > 2538 K, 362-3709 Kw. 658.146-147-149-416-418-419-466 468-469-021-024-025-029-043.076-078-079 03.91 > 2544 A-K-L-S-LS 655.138-337-436-437-658.029/043/135/146 147 - 419 657.327 657.570 2550 656.028/327 658.043/147/149 2553 K 658.027/149 2629 A AK 659.232-233 659.333 01.88 > 2631 230 Kw 659.203/301/301/304/000/002/003/101/102/104 92 > 2631 230 250 Kw 659.203/301/301/304/000/002/003/101/102/104 92 > 2631 A 9572 cc 659.203/301/301/304/000/002/003/101/102/104 92 >	OM442A OM442A OM401LA OM442LA OM442LA-446 OM401LA-441LA OM441LA OM441LA OM441LA OM442A OM442A OM442A OM442A OM442 OM401LA-441LA OM401LA-441LA OM401LA-441LA OM401LA-441LA OM441-LA OM441-LA OM441-LA OM442A OM402LA,423,442LA OM402LA,4		

 Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
2631 S 10964 cc 659.203/301/301/304/000/002/003/101/102/104 92 >	OM401-441	GMZ 430 A Tiro Pull Type	005 250 8404 004 250 4604 004 250 6104 004 250 8704
2631 AS 659.203/301/301/304/000/002/003/101/102/104 92 >	OM401-441		
2631 AK 9572 cc 659.203/301/301/304/000/002/003/101/102/104 92 >	OM401-441		
2631 AK 10964 cc 659.203/301/301/304/000/002/003/101/102/104 94 >	OM401-441		
2631 B 659.203/301/301/304/000/002/003/101/102/104 06.92 >	OM401-441		
2634 S 659.101 659.303	OM401-441		
2635 L,AK 659.333 01.88 >	OM442-A		
2635 260 269 Kw 659.038 88-94>	OM442-A		
2635 A 260 269 Kw 659.237/336/338-339 90-94>	OM442-A		
2635 AS 250 269 Kw 659.237/336/338-339 92-94>	OM442-A		
2635 AK 250 269 Kw 659.237/336/338-339 92-94>	OM442-A		
2635 S 250 269 Kw 659.136-186 88-94>	OM442-A		
2635 K 659.137-139 88-94>	OM442-A		
2637 659.343 94>	OM402		
2638-280 Kw 12763 cc 659.242/338/341/343-344/028/137/142 144/147/197 91>	OM402LA-422LA		
2638 K 280 Kw 12763 cc 659.242/338/341/343-344/028/137/142 144/147/197 91>	OM402LA-422LA		
2638 AS 659.242/338/341/343-344/028/137/142/144/147/197	OM402LA-422LA		
2638 AK 280 Kw 12763 cc 659.242/338/341/343-344/028/137/142 144/147/197 92>	OM402LA-422LA		
2644 K,AK 659.137-142-147-343-344 94>	OM402-442LA		
2644 AK 659.333 (Special design) 94>	OM442LA		
2645 AS 659.336 94>	OM442LA		
2645 S,AS,AK 659.136-336-338 94>	OM442LA		
2650 K,S,AK 659.136-139-142-144-339- 625.197	OM442-442LA		
2650 A 659.232 (Special design)	OM442-442LA		
3050 S 625.036-037-196-197	OM442LA		
3053 A 625-037	OM442LA		
3233 K 625.115-118 02.93 >	OM441A-LA		
3231 L 653.452-454 02.93 >	OM441A-LA		
3233 B 625.115-118 02.93 >	OM441A-LA		
3234 K 625.115 -118-119 3234 B 625.115-118-119 653.463-464 92 >	OM441LA		
3235 L 658.013-019-038-063-413 3235 625.120-121-128 92 >	OM442A		
3235 K 625.120-121-128 01.88 >	OM442A		
3238 280 Kw 12763 cc 625.130-131-132 658.024-043 90 >	OM402LA,423,442LA		
3238 280 Kw 14618 cc 625.130-131-132 658.024-043 94 >	OM402LA,423,442LA		
3238 320 Kw 625.130-131-132 658.024-043 90 >	OM402LA,423,442LA		
3238 362-390 Kw 625.130-131-132 658.024-043 90 >	OM402LA,423,442LA		
3534 K 625.140-142 10.93 >	OM441LA		
3535 L,K, 659.232-233 (Special design) 10.93 >	OM442A-443A		
3535 K 269 kW 625.148-149/249 659.038/136/237 88-94	OM442A		
3535 B 269 kW 625.145 88-94	OM442A		
3538 659.233 (Special design)	OM402LA		
3538 K 280 Kw 12763 cc 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3538 K 280 Kw 14618 cc 625.135-137-149-249-258-259-269 94>	OM442A,402LA,442LA		
3538 K 320 Kw 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3538 K 362-370 Kw 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3538 AK 280 Kw 12763 cc 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3538 AK 280 Kw 14618 cc 625.135-137-149-249-258-259-269 94>	OM442A,402LA,442LA		
3538 AK 320 Kw 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3538 AK 370 Kw 625.135-137-149-249-258-259-269 91>	OM442A,402LA,442LA		
3544 K,AK 625.136-137-258-259-269	OM402LA,442LA		
3548 K,S 625.149-196-197	OM402LA,442LA		
3548 659.232 (Special design)	OM442LA		
3550 S 362-370 Kw 625.037-137-196-197-258-259 659-038 92>	OM442LA		
MERCEDES BENZ			
3553 S 269 kW 625.197	OM442LA		
4435 K 625.149 659.038	OM442A		
4635 659.237	OM442A		

  	Motore 	Codice Code  	Ad.:Codice O.E. 
Tipi Applicazioni Truk make Model	Engine	CO.ME	Suitable: SACHS
4635 659.233 (<i>Special design</i>) 4644 659.233 (<i>Special design</i>) 4645 659.233 (<i>Special design</i>) 4648 659.232-233 (<i>Special design</i>) 4844 625.258-259-269 659.237 4850 625.258-259-269 4850 659.233 (<i>Special design</i>) 4853 625.-259-269 BUS O 303 Model 660.414-415/458-485/494-495 BUS O 340 Model 660.442 BUS O 350 Model 613.335/385 08.95 > BUS O 350 Model 613.335/385 (Version TURKEY) 08.95 > BUS O 350 280 kW Model 613.455/485 08.95 > BUS O 350 280 Kw 613.335/385 (Version TURKEY) 08.95 > BUS O 403 (Version TURKEY) 08.95 > BUS O 404 250 Kw 17 T. Model 356.353-355-363-365-385-395 313-315-325-333-335-345- 614.313/315/345 356.345/353/355/363/365/385 393/313/315/323 325-333-335-343 614.313/315/345 91> BUS O 404 280 Kw 356.415-425-435-445-455-465-485-495 91> BUS O 404 250 Kw 18 T. Model 356.353-355-363-365-385-395 313-315-325-333-335-345- 614.313/315/345 356.345/353/355/363/365/385 393/313/315/323 325-333-335-343 614.313/315/345 91> BUS O 404 250 Kw 18 T. Model 618.105/125 91> BUS OH 1634 L >Ch. K 017131 > Ch. Z 902592 Model 396.483 BUS OH 1634 L K 017131 > Ch. Z 902592 > Model 396.483	OM442A OM442LA OM442A OM442LA OM442LA OM442LA OM443A OM442LA OM442 OM441LA OM441LA OM402LA OM402LA OM441LA OM441LA OM441LA OM402LA OM441LA OM441LA OM442A OM442A	GMZ 430 A Tiro Pull Type	005 250 8404 004 250 4604 004 250 6104 004 250 8704 3482 081 231 3482 083 031 3482 081 031
Modelli / Modell 1222 - 1224 - 1226 - 1227 - 1231 - 1234 - 1422 - 1424 1426 - 1427 - 1429 - 1431 - 1627 - 1722 - 1726 - 1729 1735 - 1824 - 1827 - 1831 - 1922 - 1926 - 1927 - 1929 1945 - 2024 - 2027 - 2031 - 2422 - 2426 - 2427 - 2429 2433 - 2434 - 2522 - 2524 - 2527 - 2529 - 2531 - 2534 2544 - 2629 - 2632 - 2635 - 2644 - 2648 - 2650 - 3229 3529 - 3535 - 3538 - 3548 - 3550 - 4635 - 4644 - 4645 4648 - 4850 - 5035 - BUS O 303 - O 330 - O 404 - OH 1627	Same AE1128 with Clamp Load Kg. 2100 ± 2400	GMZ 430 Pull Type AA1128 B	005 250 8304 004 250 5604 004 250 5804 004 250 6004 004 250 8804 8.383.268.000 8.383.268.000B 3482 081 232 3482 086 031
Modelli / Modell 1748 - 1838 - 1844 - 1850 - 1853 - 1948 - 2038 - 2044 2050 - 2448 - 2544 - 2550 - 2553 - 2637 - 2638 - 2644 2648 - 2650 - 3238 - 3244 - 3248 - 3250 - 3255 - 3538 3544 - 3548 - 3550 - 4844 - 4850 - 4853 - 5038 - 5248	Same AE1128 with Clamp Load Kg. 2600 ± 2800	GMZ 430 A Tiro Pull Type AA1128 R	004 250 8904 005 250 6204 8.383.344.000 3482 081 233
Modelli / Modell 1019 380.183 1619 K-L-S-KO 383.020/024/026/029/046 1619 K-L-S-KO 385.046/048/054/055/070/072/277 1919 389.006/007/008/009 BUS O 307 - O 309 Ch.000052>0004702 307.050/051/055	OM401 OM401 OM401 OM401 OM407	GF380 AA1139	1882 302 134 003 250 2804 002 250 4004
334 L-LA 335-336 1120 1120 1120 L 148-155 Kw 01.94>12.98 1120 S 1120 LS 148-155 Kw 01.94>12.98 1224 1224 AF 170-177 Kw 02.93>09.96 1320 1320 L 148-155 Kw 01.84>12.98 1320 1320 L 125 Kw 01.94>12.98 1320 S 1320 LS 148-155 Kw 01.84>12.98		GF 380 AA1140	1882 166 737 1882 166 735 1882 166 734 003 250 2204 003 250 0080 001 250 6804

  	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
Tipi Applicazioni Truk make Model			
MERCEDES BENZ			
<i>Modelli / Modell</i>			
1324 1324 L 170-177 Kw 01.84>12.98 1324 L 150 Kw 01.91>12.98 1324 S 1324 LS 170-177 Kw 01.84>12.98 LP 1424 LPS 1424 1520 1520L 150-155 Kw 01.84>12.98 1618 1619 1620 L 1620 09.95 > L 1620 > 09.95 LK 1620 09.95 > LP 1620 > 09.95 LPS 1620 > 09.95 LS 1620 > 09.95 1621 1621 L - LK-LS 1623 - 1623 L-LK-LS 1624-1624 L-LA-LAK-LAS-LK-LP-LPS-LS 1626 1626 LP 188 Kw 1626 LPK 188 Kw 1626 LPS 188 Kw 1717-1717 L 129 KW 12/87>09/96 1717 AK 1717 K 129 KW 09/89>08/94 1720 1720 L 150-155 KW 12/87>09/96 1724 1820 1820 L 155 KW 12/87>09/96 1918 1918 LS 1920 L,LA,LK,LP,LS,LPS 1921 1921 L LK LS 1923 1923 L LA LP 1924 1924 L,LA,LP,LS,LK,LAK,LAS,LPS 1926 1926 LP LPS 2020 L,LA,LB,LAB,LPS 2023 2023 LS 169 KW 2024 2024 L LPS 177 KW 2223 L,LH,LP,LPS,LPB,LP 2224 LP,LPB,LPK,LPS 2226 LP,LPB,LPK,LPS 2232 2232 LP 2620 2620 L,LA,LB,LAB 2623 L,LA,LAB,LH,LP 190 KW 2624 2624 L,LA,LB,LK,LS,LAB,LAK,LAS BUS O 1120 1120 LO 150-155 KW 01/84>12/98 BUS OF Series BUS OF 1621		GF 380	1882 166 734 1882 166 735 1882 166 737 000 250 1904 000 250 4004 000 250 4304 000 250 7104 000 250 7404 001 250 0704 001 250 0804 001 250 6804 003 250 0080 003 250 2004 003 250 2104 003 250 2204 355 146 138 0002 20
AA1140			
<i>Modelli / Modell</i>			
1019 - 1019 AF 141 KW 08/73>09/96 1019 AF 1019 F 144 KW 01/79>12/82 1219 - 1219 A 141 KW 09/75>12/82 1219 AF AK F K S 141 KW 09/75>09/84 1417 1417 C CA CAK CK 125 KW 09/75>09/84 1419 1419 L 141 KW 09/73>09/96 1419 AK 141 KW 05/75>12/84 1419 AS 141 KW 05/75>12/82 1419 C 1419 CL 141 KW 08/73>09/96 1419 F K 141 KW 05/75>12/82 1419 S 1419 LS 141 KW 08/73>09/96 1420 1420 L 150 KW 08/73>09/96 1617 C CL CAK CKL CS 125 KW 08/73>09/96 1619 C 1619 CL 141 KW 09/73>09/96 1620 1620 L 150 KW 08/73>09/96 2219 C 2219 CL 141 KW 09/73>09/96 2220 2220 L 150 KW 08/73>09/96 BUS Serie OH 1417		GMF 360	000 250 7504 3482 011 232 3482 011 332 3482 011 231 3482 011 331
AA1141			

[illegible]

  	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS		
Tipi Applicazioni Truk make Model					
OSTERREICHISCHE AUTOMOBILFABRIK (OAF)					
32.362 E12-15-17-18 33.273 E69 - 33.403 E69 - 33.423 E69 - 33.463 E69 01.94 > 35.292 E15-17-18 - 35.322 E15 - 35.332 E15-15-17-18-26 35.362 E15-17-18 - 35-372 E15-17-18 - 35.422 E15-17-18 <i>Clutches in according with Customer requirement</i> 35.373 E68 01.96 > 35.403 E68 01.96 > 35.423 E68 01.96 > 35.463 E68 01.96 > 36.372 E26 - 36.422 E26 37.373 E68 - 37.403 E68 - 37.423 E68 - 37.463 E68 01.96> 41.292 E15.17-18-26 - 41.322 E15 - 41.332 E15-17-18-26 41.362 E12-15.17-18-26 - 41.372 41.422 E12-15-17-18-26 41.373 E68-78 - 41.403 E68-78 - 41.423 41.463 E68 41.462 E12 - 41.502 E12 <i>Clutches in according with Customer requirement</i> 42.373 E78 - 42.403 E78 - 42.423 E78 - 42.463 E78 01.96> 47.292 E15-17-18-26 47.332 E15-17-18 47.362 E12-15-17-18 <i>Clutches in according with Customer requirement</i> 48.372 E15-17-18 48.402 E18 48.422 E17-18	D2866LF,KF D2866 D2866LF D2865-2866LF,KF D2866LF21 D2866LF20 D2866LF22 D2876LF02 D2866LF D2866 2866LF 2866LF D2866-D2866LF21 D2840LF D2866 D2865-2866LF,KF D2865-2866LF,KF	AA1127	3482 083 032 3482 083 038		
RENAULT R.V.I.					
SERIE TF 230 A Turbo 77-79 SERIE GT 230 A Turbo G.Box RENAULT > 80 SERIE PR 230 A Turbo G.Box ZF S6-90 > 80 SERIE S 90 - 100 G.Box ZFS5-24 SERIE 300 380 K 4x4 73-81 SERIE 400 400 K 74-79 SERIE 500 500 K 550 K - 560 K 72-79 MIDLINER S100.06/A-S100.07/A-S100.08/A-S100.09/A S100.09/BOM-S100.09/CIT S100.09/BOM-S100.09/CITS110.07/A-S110.08/A	MIDSO62030 MAN2655 MIDSO62030 PERKINS T4-38 PERKINS 4/236 PERKINS 4/236 PERKINS 4/236			430DB AE 1377 280 DBR AE 1374 280 DBR AE 1374	3482 042 042 0023617124 5000841299/99 1140426 23618137 1140426 1140426 23618137 1140426
RENAULT R.V.I. - SAVIEM					
SERIE B 90 5G 110 (05.86>) G.Box ZF 92-93 SERIE J - JK60-65-75-85 G.Box ZF > 04.86 SERIE J - JK 60-85 G.Box 321 > 04.86 SERIE J - JK 75 G.Box ZF S5-24 > 04.86 SERIE J - JN 85 (5G.) G.Box ZF S5-24 06.79 > SERIE S 90 G.Box ZFS5-24 05.83 > SERIE S 90 - 100 G.Box ZFS5-24 05.83 > SERIE SB 2 G. Box G.321 Fuel Type Petrol 70-79 SERIE SB 2L > 12.79 SERIE SG 2 Box G.321 69-79 SERIE SG 3 Box G.321 69-79 SERIE SG 5 Box ZF S5-24 74-79 SERIE SG 5 Box 321 Fuel type Diesel 69-79 SERIE SP 5 Box 321 03.75 > SERIE TP 3 MB 35-39 4x4 Box 321 75-79 SERIE TP 3 MB 35-39 4x4 Box 321 79-83 SERIE TR M 2000 - M 2000 Military Box ZFS5-24 92> SERIE TR M 2000 - M 2000 Military Box ZFS5-24 92> SERIE 90 B (5G.) Box ZF 78-80 SERIE 90 B6 (5G.) Box ZF 78-80 SERIE 380 K 4x4 - 440 K 73-81 SERIE 500 K 550 K - 560 K 74-79	720 720 720 PERKINS T4-38 712 - 817 720 PERKINS 4/236 PERKINS 4/236			 DBR 250 	

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code   CO.ME	Ad.:Codice O.E  Suitable: SACHS
RENAULT TRUKS R.V.I.			
SERIE JN 60-75-80 (5G) 01/78>12/82 SERIE JN 90 (5G) 01/76>12/83 SERIE JP 11-13-14 (5G) 01/76>12/83 SERIE MIDLINER M 140.12 C 103 KW 05/89>03/93 MIDLINER S 130.06 96-9 KW 09/83>01/90 MIDLINER S 130.07 96-97KW 09/83>01/90 MIDLINER S 130.08/A,S 130.08/B 96-9 KW 09/83>01/90 MIDLINER S 130.08/A 96-97KW 09/83>01/90 MIDLINER S 130.08/R 96-97KW 09/83>01/90 MIDLINER S 130.08/B 96-97KW 09/83>01/90 MIDLINER S 130.09/B 96-97KW 09/83>01/90 MIDLINER S 130.11/B 96-97KW 09/83>01/90 MIDLINER S 130.11 96-97KW 09/83>01/90 MIDLINER S 130.13/B 96-97KW 09/83>01/90 MIDLINER S 140.07/A 103 KW 01/90>09/93 MIDLINER S 140.08/A ,S 140.08/B 103 KW 01/90>09/93 MIDLINER S 140.08/B 103 KW 01/90>09/93 MIDLINER S 140.09/B 103 KW 01/90>09/93 MIDLINER 100 - 130 B (5G) 01/78>12/80		MF 310 AA1142	5000 456 388 0023 618 127 5516 021 235 3482 008 033 3482 008 031 3482 008 033 220 11G
SERIE C 210.19 153 Kw 12.83-05.91 SERIE C 230ti .19 166 Kw 05.90 -07.92 SERIE CLR 220 SERIE CLR 220 SERIE CLR 230.19 166 KW 09.90-10.989 SERIE E7 BUS E7L - M - N - SERIE E 53 06.71 - 12.79 SERIE G 210.16 153-162 KW 11.83-02.90 SERIE G 210.19 153-162 KW 11.83-02.90 SERIE G 230.11 169-177 KW 01.85-05.90 SERIE G 230.13 169-177 KW 01.85-05.90 SERIE G 230.13 SP 169-177 KW 01.85-08.91 SERIE G 230.15 169-177 KW 01.85-05.90 SERIE G 230.15 T 169-177 KW 01.85-05.90 SERIE G 230.16 169-177 KW 01.85-05.90 SERIE G 230.17 169-177 KW 01.85-05.90 SERIE G 230.17 T 169-177 KW 01.85-05.90 SERIE G 230.19 169-177 KW 01.85-05.90 SERIE G 230.19 TI 13 166 KW 02.90.08.91 SERIE G 230.19 TI 15 166 KW 02.90.08.91 SERIE G 230.19 TI 16 166 KW 02.90.08.91 SERIE G 230.19 TI 17 166 KW 02.90.08.91 SERIE G 230.19 TI 18 166 KW 02.90.08.91 SERIE G 230.19 TI 19 166 KW 02.90.08.91 SERIE GB 191,1 A 10.78-10.81 SERIE GB 191,1 A 11.81 SERIE GC 190 01.75-12.79 SERIE GC 191 10.78-10.81 SERIE GC 191 11.81 SERIE GC 191 BOM 10.79-10.81 SERIE GC 191 BOM 11.81 SERIE GF 190 A 01.75-12.79 SERIE GF 191 01.75-12.79 SERIE GF 191 6G 11.81 SERIE GL - GLR 190 - A 10.78		GM 380 AA1379	3482 037 141 279 013 279 014 363 645 263 391 009 126 50001 830 945 0001 140 732 0023618 133 5000 053 508 5000 826 295 5000826 296 5000 841 295 5010 244 080 5430 031 704 5000 534 738 0023 618 190 5000 841 294 1 140 732

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
SERIE GR - GLR 190 - A 10.78			
RENAULT TRUKS R.V.I.			
MANAGER G 230 TI.13 166 KW 09.91-03.93 G 230.13 SP 166 KW 09.91-03.93 G 230 TI.15 166 KW 09.91-03.93 G 230 TI.17 166 KW 09.91-10.96 G 230 TI.18 166 KW 09.91-10.96 G 230 TI.19 166 KW 09.91-10.96 PR 10 S 6G 12.78 12 S 6G 02.78 14 14 S 01.76 SM 19.240 01.75-12.79 21.240 01.74-12.79 26.240 01.75-12.79 32.230 6x4 6x6 01.75-12.79 32.230 6x6 01.75-12.79 200 01.71-12.74 240 01.71-12.79 260 11.77-12.79 TB 191 A,B,C,E,F,G, 10.78-10.81 191 B,C,E,F,G, 11.81 700 770 KB 6- SP 900 950 KB,KBT > 1979 950 KB,KBT 6 01.76-12.79 950 KB,KBT 6E 01.75-12.79 MIDLINDER M 230.10 C 166 KW 05.89-07.92 M 230.15 D 166 KW 05.89-07.92 M 230.15 D CIT 166 KW 05.89-07.92 S 220.11T CIT 159-166 KW 01.87-09.90 S 220.13TI 159-166 KW 01.87-09.90 S 220.13TI/T 159-166 KW 09.87-09.90 S 220.14TI 159-166 KW 09.87-09.90 S 220.14TI/T 159-166 KW 09.87-09.90 S 220.14TI 159-166 KW 09.87-09.90		GM 380 AA1379	3482 037 141 279 013 279 014 363 645 263 391 009 126 50001 830 945 0001 140 732 0023618 133 5000 053 508 5000 826 295 5000826 296 5000 841 295 5010 244 080 5430 031 704 5000 534 738 0023 618 190 5000 841 294 1 140 732
SERIE C C340ti. 17 T 249 Kw 07.90-10.98 C340ti. 17/ T 249 Kw 07.90-10.98 MAGNUM AE 385TI 18 283 Kw 02.92-10.96 AE 385TI 18T 283 Kw 02.92-10.96 AE 385TI 26 283 Kw 02.92-10.96 AE 420TI 18 305 Kw 02.92-10.96 AE 420TI 18T 305 Kw 02.92-10.96 AE 420TI 24T 305 Kw 02.92-10.96 AE 420TI 26 305 Kw 02.92-10.96 AE 420TI 26T 305 Kw 02.92-10.96 MAJOR R 340TI.16T 249 Kw 05.91-10.96		AA1145 MFZ 430	5000 677 316 5001 824 773 3082 123 243

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
R 340TI.18 249 Kw 05.91-10.96 R 340TI.18/T 249 Kw 05.91-10.96			
RENAULT TRUKS R.V.I.			
MAJOR 13 R 340TI.26 249 Kw 05.91-10.96 R 350.17 249 kW 05.91-10.96 R 350.17/T 249 kW 05.91-10.96 R 350.18 249 kW 05.91-10.96 R 350.18/T 249 kW 05.91-10.96 R 350.26 249 kW 05.91-10.96 R 380.25 275 kW 05.91-10.96 R 385TI.18. 275 kW 05.91-10.96 R 385TI.18. 275 kW 05.91-10.96 R 385TI.18T. 275 kW 05.91-10.96 R 380.18/T 275 Kw 05.91-10.96 R 385TI. 24 275 Kw 05.91-10.96 R 385.24 275 Kw 05.91-10.96 R 380.24 275-283 Kw 05.91-10.96 R 385.25T 275-283 Kw 05.91-10.96 R 380.25T 275-283 Kw 05.91-10.96 R 380.TI.26 283 Kw 12.91-10.96 R 380.TI.26 283 Kw 12.91-10.96 R 380I.26 275-283 Kw 05.91-10.96 R 385TI.26T 275-283 Kw 05.91-10.96 R 380.26T 275-283 Kw 05.91-10.96 R 420 TI-18/T 305 Kw 10.92-10.96 R 420 TI-24/TS 305-314 Kw 10.92-10.96 R 420 TI-26/TS 305-314 Kw 04.92-10.96 R 420 TI-35/TS 305 Kw 04.92-10.96		AA1145 MFZ 430	5000 677 316 5001 824 773 3082 123 243
IRISBUS ARES - ILIADE OBRADORE - KERAX 280.18 188 Kw 06.97 > 280.18B 188 Kw 06.97 > 270.18 195 Kw 01.2001> 300.18/B 219 Kw 06.97 > 300.26/A -300.26/B 219 Kw 06.97 > 300.26/B 219 Kw 06.97 > 320.18 230 Kw 01.01 > 320.26 230 Kw 01.01 > 340.18 249 Kw 06.97 > 340.18/B 249 Kw 06.97 > 340.26 249 Kw 06.97-01.01 340.26/A 340.26/B 249 Kw 06.97 > 340.26/B 249 Kw 06.97 > 340.32/A 249 Kw 06.97 > 350.34 255 Kw 01.03 > 370.18 266 Kw 01.2001 > 370.26 266 Kw 01.2001 > 370.32 266 Kw 01.2001 > 385.18 280 Kw 06.1997 > 385.18/B 280 Kw 06.1997 > 385.18/T 280 Kw 06.1997 > 385.26 280 Kw 06.1997 > 385.26/A - 385.26/B - 385.26/C 280 Kw 06.1997 > 385.26/T 280 Kw 06.1997 > 385.32/A - 385.32/B - 385.32/C 280 Kw 06.1997 > 400.18 - 400.18/T - 400.26 288 Kw 01.2000 > 400.26/A- 400.26/B-400.26/C- 400.26/T 288 Kw 01.00 >		AE1146 MFZ 430	5001 837 123 5010 244 097 5010 244 203 5010 244 265 5010 837 119 3482 083 252 3482 123 247

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
400.32/A- 400.32/B-400.32/C 288 Kw 01.00 > 420.18 303 Kw 01.2001 >			
RENAULT TRUKS R.V.I.			
KERAX 420.26 303 Kw 01.2001 > 420.32 303 Kw 01.2001 > 420.34 303 Kw 01.2001 > MAGNUM E.TECH 400.18 295 Kw 05.00 > E.TECH 400.18/T 295 Kw 05.00 > E.TECH 400.24 295 Kw 05.00 > E.TECH 400.26 295 Kw 05.00 > E.TECH 440.18 324 Kw 05.00 > E.TECH 440.24 324 Kw 05.00 > E.TECH 440.26 324 Kw 05.00 > E.TECH 440.26/T 324 Kw 05.00 > E.TECH 480.18 347 Kw 05.00 > E.TECH 480.18/T 347 Kw 05.00 > E.TECH 480.24 347 Kw 05.00 > E.TECH 480.26 347 Kw 05.00 > AE 390.18 287 Kw 09.96 > AE 390.18 287 Kw 05.00 > AE 390.18/T 287 Kw 05.00 > AE 390.26 287 Kw 05.00 > AE 420ti .18 305 Kw 10.92-12.96 AE 420ti. 18/T 305 Kw 10.92-12.96 AE 420ti. 24 305 Kw 10.92-12.96 AE 420ti. 26 305 Kw 10.92-12.96 AE 420ti. 26/T 305 Kw 10.92-12.96 AE 430.18 316 Kw 01.96 > AE 430.18/T 316 Kw 01.96 > AE 430.26 316 Kw 09.96 > AE 430.26/T 316 Kw 01.98 > AE 470.18 346 Kw 11.96 > AE 470.26 346 Kw 01.97 > AE 470.26/T 346 Kw 01.98 >		AE1146 MFZ 430	5001 837 123 5010 244 097 5010 244 203 5010 244 265 5010 837 119 3482 083 252 3482 123 247
OBRADORE Obradore 10.1996 >			
PREMIUM DISTRIBUTION 260 BOM 10.1966> 300 BOM 06.1996>			
PREMIUM Distribution 300.18D 219 Kw 04.96 > Distribution 300.18D/T 219 Kw 04.96 > Distribution 300.26D 219 Kw 04.96 > Distribution 320.18 230 Kw 08.2000 > Distribution 320.18/D 230 Kw 08.2000 > Distribution 320.24/D 230 Kw 08.2000 > Distribution 320.26/D 230 Kw 08.2000 > Distribution 340.18/D 249 Kw 04.1996 > Distribution 340.18/D/T 249 Kw 04.1996 > Distribution 340.26/D 249 Kw 04.1996 > Distribution 370.18 266 Kw 04.1996 > Distribution 370.18/D 266 Kw 08.2000 > Distribution 370.24/D 266 Kw 08.2000 > Distribution 370.26/D 266 Kw 08.2000 >			

   Tipi Applicazioni Truk make Model	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
Distribution 400.18/D 288 Kw 01.2000 > Distribution 400.18/D/T 288 Kw 01.2000 > Distribution 420.18 303 Kw 08.2000 >			
RENAULT TRUKS R.V.I.			
PREMIUM Distribution 420.18/D 303 Kw 08.2000 > Route 300.18 219 Kw 09.1996 > Route 300.18/T 219 Kw 09.1996 > Route 300.18 230 Kw 08.2000 > Route 340.18 249 Kw 04.1996 > Route 340.18/T 249 Kw 04.1996 > Route 340.26 249 Kw 04.1996 > Route 370.18 266 Kw 08.2000 > Route 370.24 266 Kw 08.2000 > Route 370.26 266 Kw 08.2000 > Route 385.18 - 400.18 280-288 Kw 04.96 > Route 385.24 - 400.24 280-288 Kw 04.96 > Route 385.24/T - 400.24/T 280-288 Kw 04.96 > Route 385.26 280 kW 04.96 > Route 385.26 - 400.26 280 kW 04.96 > Route 420.18 303 kW 08.2000 > Route 420.18/T 303 kW 08.2000 > Route 420.24 303 kW 08.2000 > Route 420.25 303 kW 08.2000 > Route 420.26 303 kW 08.2000 >		AE1146 MFZ 430	5001 837 123 5010 244 097 5010 244 203 5010 244 265 5010 837 119 3482 083 252 3482 123 247

 Tipi Applicazioni Truk make Model			Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
SCANIA					
142	> Chass. 4263275 G.Box GR871	DS,DSC14 - K384-4	GFT 2/380	3482 033 401	
142	> Chass. 4263275	DS,DSC14 - K384-8	AA1118	324460	
82	80-88 Eng. DN8,DS8,11,DSC11,DS	K422-9	GMF 430	1102425	
92	Eng. DN8,DS8,11,DSC11	K422-9			
93	Eng. DS,DN9,DSC9	K422-9			
93	Eng. DS,DN9,DSC9	K432-3			
110-111 L 110 LB 110 LBS 110	01-76 > Eng. DS11	K422-4			
111 BF 111	Eng. DS 11 G.Box G763	K422-4			
111 L 111	Eng. DS 11 G.Box G760,770-GR860,870	K422-4 K422-9			
111 LB 111	Eng. D 11 G.Box G770,GR870	K422-9			
111 LB 111	Eng. DS 11 G.Box G760,GR860	K422-4			
111 LBS 111	Eng. DS 11 G.Box G760,GR860	K422-4			
111 LS 111	Eng. DS 11 G.Box G760,GR860	K422-4			
112 LS 111	Eng. DN8,DS8,11,DSC11	K422-9			
113	Eng. DS,DSC,DTC,DTC11	K422-9			
113	Eng. DS,DSC,DTC,DTC11	K422-12			
113	Eng. DS,DSC,DTC,DTC11	K432-3			
BUS BR 116	G.Box G764,G774				
BUS K 82					
BUS K 93		K432-3			
BUS K 112					
BUS K 113		K432-3			
82	80-88 Eng. DN8,DS8,11,DSC11,DS	K422-9	GMF 420	1102425	
92	Eng. DN8,DS8,11,DSC11	K422-9			
93	Eng. DS,DN9,DSC9	K422-9			
93	Eng. DS,DN9,DSC9	K432-3			
110-111 L 110 LB 110 LBS 110	01-76 > Eng. DS11	K422-4			
111 BF 111	Eng. DS 11 G.Box G763	K422-4			
111 L 111	Eng. DS 11 G.Box G760,770-GR860,870	K422-4 K422-9			
111 LB 111	Eng. DS 11 G.Box G770,GR870	K422-9			
111 LBS 111	Eng. DS 11 G.Box G760,GR860	K422-4			
111 LS 111	Eng. DS 11 G.Box G760,GR860	K422-4			
112 LS 111	Eng. DN8,DS8,11,DSC11	K422-9			
113	Eng. DS,DSC,DTC,DTC11	K422-9			
113	Eng. DS,DSC,DTC,DTC11	K422-12			
113	Eng. DS,DSC,DTC,DTC11	K432-3			
BUS BR 116	G.Box G764,G774				
BUS K 82					
BUS K 93		K432-3			
BUS K 112					
BUS K 113		K432-3			
Serie 93	Eng. DS,DN9,DSC9	K432-10-14-7-8	MFZ 430	1113870-1321254	
Serie 113	Eng. DS,DSC,DTC,DTC11 G.Box 871	K432-3		1321259-1365486	
Serie 113	Eng. DS,DSC,DTC11 G.Box GR,GRS900	K432-14		1370794-282576	
Serie 142	Ch.4263276> Eng. DS,DSC14 G.Box GR871/880	K432-6		382499 -571217	
Serie 142	Ch.4263276> Eng. DS,DSC14	K436-6		571218-571220	
Serie 143	Eng. DSC14 G.Box GR900,GRS900	K432-10-14-7-8		571221-571226	
BUS K 113	Eng. Dsc 11			571227-1361679	
				3482 083 039	
			3482 083 009		
			3482 058 203		

  	Motore  Engine	Codice Code  CO.ME	Ad.:Codice O.E  Suitable: SACHS
Tipi Applicazioni Truk make Model			
STEYR - DAIMLER PUCH AG			
1291 - 1491 1291 1491 1891 1891	69,71,75,77, WD615.61,65,66,67 WD815.67,68,97 WD815.67,68,07	GFX 420 AA1115	99114160019 1882 342 101 1882 342 131 1882 342 134
7 G1 F-K 7 GA 1 F-K 9 G 4 F-K 9 GNFNA - L SL 10 H 210 - 9G	4F	Spindisco incassato Cover P/Plate pot G 380 AA1130	5G2610B 1882 325 035 1882 325 134
19 S 31 19 S 34 19 S 40 - 190 S 46 23 S 34 23 S 40 - 23 S 46 26 S 29 26 S 34 - 26 S 40 - 26 S 46 33 S 40 33 S 46 42 S 40 - 42 S 46	D2866 D2876 D2866	GMZ 430 A Tiro Pull Type AA1127	 3482 083 032 3482 083 038
TAM BUS			
BUS 331 A 119		GFX 420 AA1115	5579934 5560749
BUS 260		AA1116 GF 420	1882 301 239 1882 330 033
125 A 11T,P 3000 A 3000 3500 AS 3500-D 125		G 350 KR AA1131	1881 039 532
BUS 12 B3	MFZ 430	AA1127	3482 083 032
VAN HOOL			
BUS 815 BUS 815 BUS 815 BUS 815 GT BUS 815 GT BUS 815 GT BUS 818 BUS 824 TD E	DAFDKX1160 DBOM422A MAND2866TOH,LOH 5LF,D2866LOH MAND2566MTH,D286 DMOM422,A MAND2566MKU,H DBOM422LA	GFX 420 AA1115	632100440 1882 342 101 1882 342 131 1882 342 134
BUS 812 -813-814-815A-815C-815TL BUS 815	MAN240/280PS MAN240/280PS	GF 420 AA1116	632100240 632100340 1882 301 239

[illegible]